


The most versatile cutting tables for signage, displays & packaging

THE KONGSBERG X SERIES





KONGSBERG X SERIES:

3 APPLICATION KITS FOR VERSATILITY

Whether you produce 2D signs, 3D displays or packages; regardless of the material you work with, the Kongsberg X cutting table will meet the challenge.

The application kits for the Kongsberg X (Short Run, Production and Flexo) make it easy to pick the right configuration for your business. Additionally, the freedom of upgrade options make the possibilities almost limitless.

Kongsberg X Short Run

- For sample making, short run production and other packaging-related tasks
- > Production on a wide range of materials with fewer manual tool changes
- > Extra fast tool loading, auto recognition and calibration
- > Available with felt or PVC underlay





Kongsberg X Production

- For signage, packaging or displays production
- Great quality for any job or application
- Ability to add a conveyor system to support automated board & roll loading
- A variety of milling options to match your throughput requirements
- > Perfect print-to-cut registration

Kongsberg X Flexo

- > Cutting of flexo plates and patches
- Operates back to back with your imaging device, physically and digitally
- Fits in a truly tailored workflow defined with Esko's Digital Flexo team
- Can also be equipped to produce dedicated shipping boxes for your finished plates



OR START YOUR DIGITAL FINISHING WITH THE KONGSBERG X EDGE!

The Kongsberg X Edge is the entry level version of the Kongsberg X.

The Kongsberg X Edge delivers **speeds of 30 m/min** with acceleration of **0.3 G** and can handle the full spectrum of display, signage and packaging materials.

Field upgradeable: Add power as your company grows

The Kongsberg X Edge can be upgraded to a full Kongsberg X table. As your company grows, the Kongsberg X Edge evolves with you and can be easily upgraded in both speed and acceleration to ensure it keeps up with your business demands.

- High production speedExceptional cutting quality
- Fully upgradeable
- Remarkable price



KONGSBERG X TOOL HEADS: POWERFUL AND VERSATILE



MultiCUT-HS/HP

The MultiCUT-HS spindle is the perfect option for a shop who want to support a wide variety materials and applications with minimal change over time. The head allows you to jump from kiss cutting vinyl to milling ACM without the need for any manual intervention and still delivers an extremely high-quality finish.

The MultiCUT-HP (High Power) is equipped with a super-strong, liquid-cooled milling spindle delivering several times higher productivity than less powerful alternatives. This is a great choice for shops who need extended milling duty cycles and/or who work extensively with heavy-duty materials (thick sheets of acrylic, wood/MDF and aluminium composite material).

FlexiHead

The FlexiHead offers highly accurate, powerful cutting on all flexible and thin materials (paper, folding carton, textile, vinyl...). Three configurable tool stations accommodate a full range of standard tool inserts. Specially designed knife and crease tool inserts are available to produce folding cartons with the same high throughput as corrugated jobs.





PowerHead

The PowerHead excels on heavy duty material (honeycomb boards, triple wall and recycled board...). It features 150 mm (6") diameter crease wheels and additional scoring pressure with the equivalent of 50 kg (110 lbs) down force. The large wheels enable creasing high recycle content boards without breaking the liner. The knife adapter also offers V-notch cutting, enabling mitered and extremely precise folds when producing heavy-duty containers and paper core board displays.

FoamHead

The FoamHead uses a reciprocating knife to handle foam materials with a maximum thickness of 86 mm [3%"]. With serrated-edge blades, it can also manage thick honeycomb paperboard. Three blade adapters control the blade length so it can be matched to material thickness. And, it is easy to program accurate partial through cuts thanks to the advanced Z-axis control.



BITS & BLADES THAT MAKE A DIFFERENCE



Quick and error free tool exchange

Exchanging tools on a Kongsberg X is fast, simple and error proof. Just insert a tool and hit Start. Every tool is identified by a unique bar code with tool parameters stored in memory, preventing any operator errors.



Psaligraphy knife tool for the finest details

The Psaligraphy knife tool easily cuts any intricate detail in paper and folding carton, at a unprecedented quality level. Make products like greeting cards, invitation cards, promotional items and folding carton samples with high precision, burr-free cuts.




CorruSpeed tool for the best quality

The CorruSpeed is a high impact tool for corrugated materials. It cuts without oscillating and delivers amazing quality at full machine speed. Corruspeed handles material thickness up to BC flute.



Quickly order the right bits and blades for the right material on the Kongsberg Store. Use the intelligent bit & blades finder on www.kongsbergstore.com



KONGSBERG AUTOMATE

Boost the performance of your Kongsberg tables with hardware automation options.

Sheet automation

The Kongsberg Board Feeder (iBF) is an easy to use material handling solution.

We understand that quality is paramount throughout your production. The Kongsberg Board Feeder eliminates the chance of damage encountered with manual handling, and ensures that the printed media moves to the cutting table with precision and care.

Automated roll feeding is also available and can be fully integrated with sheet feeding to meet production volume needs with diverse material requirements sheet automation is available for Kongsberg X and Kongsberg X Edge.

Automated handling of flexible materials

The Kongsberg Take Up Unit and Roll Feeder for flexible materials makes roll-to-roll workflows easier. The unit makes finishing digitally printed jobs on rolls, and collecting waste, very straightforward.

The Take Up Unit is simple to install for any Kongsberg table equipped with a conveyor feed system. The unit is hassle-free to operate and can easily be moved away when it's not needed.


MultiZone production

MultiZone production allows you to load two sheets at the same time and maximize the production capacity on your Kongsberg cutting table without expensive automation add-ons.


The MultiZone Operation Mode enables the operator to prepare one zone while the table processes the other, with automatic change-over when one zone is completed, vastly increasing overall productivity and throughput.

An optional zone control panel can be mounted on the table's side cover, providing a time-saving way of acknowledging that the zone is ready for production and also manual vacuum hold-down control.





Take Up Unit



AN UNSURPASSED USER EXPERIENCE

User Experience personalized

The i-cut Production Console, the front-end for the Kongsberg X, works with a graphical icon based communication which allows the operator to supervise production from a distance. A separate operator login ensures personalized language settings and job list management.

My Job List

Full editing rights from estimating and production planning to job countdown increase efficiency and ensure on time delivery. Previous jobs can be recalled from history and reproduced exactly as before with the click of a button.

Barcode production

One-piece-flow by barcode production ensures consistent production and final quality. Especially recommended when several unique jobs are lined up. The camera reads barcodes and automatically applies correct the tooling and production settings.

- > QR
- Data Matrix
- > Code39



Point of Purchase



Cushioning/foam



Corrugated display



Banners



Folding carton



Corrugated plastic



Protective packaging



Papercore display



TECHNICAL SPECIFICATIONS

All tables available as X Edge	X20	X22	X24	X44	X46	X48	
Work area, all tools	1680 x 1270 66 x 50	1680 x 2190 66 x 86	1680 x 3200 66 x 126	2210 x 3200 87 x 126	2210 x 4800 87 x 189	2210 x 6550 87 x 258	mm in.
Max. material size	1740 x 1750 68 x 69	1740 x 2570 68 x 101	1740 x 3575 68 x 140	2270 x 3575 89 x 140	2270 x 5250 89 x 206	2270 x 6930 89 x 273	mm in.
Max. material width w/ conveyor system	1680 66	1680 66	1680 66	2210 87	2210 87	N/A	mm in.
Overall dimensions w/ front panel	2780 x 2450 109½ x 96½	2780 x 3040 109½ x 119½	2780 x 4050 109½ x 159½	3300 x 4050 130 x 159½	N/A	N/A	mm in.
Overall dimensions w/ RWS (1)(2)	3600 x 2160 141¾ x 85	3600 x 2950 141¾ x 116	3600 x 3960 141¾ x 156	4070 x 3960 160¼ x 156	4070 x 5640 160¼ x 222	4070 x 7320 160¼ x 288¼	mm in.
Weight	455 1000	525 1150	630 1390	815 1800	1150 2540	1485 3270	kg Ibs
Position accuracy (3)	±200 ±.0078		±250 ±.0098	±300 ±.012	±350 ±.014	±400 ±.016	μm in.
Repeatability		±50 ±.0019			± 60 ± .0023		
Maximum speed		Kongsberg X Edge: 30 m/min – 20 in/sec Kongsberg X: 50 m/min – 33 in/sec					
Maximum acceleration Kongsberg X Edge	3 m/s ² - 0.3 G						
Maximum acceleration Kongsberg X (4)	5.6 m/s ² - 0.56 G			5.4 m/s² - 0.54 G			
Vertical tool force		Standard tool stations: 220 N. PowerHead crease station: 500 N					
No. of vacuum sections		2			4		
Standard traverse clearance (5)	5	50 mm – 2" or 95 mm – 3 ¾", depending on Application Kit and model size					
Optional traverse clearance (5)	High clea	High clearance 95 mm − 3 ¾", available for models with 50 mm − 2" clearance as standard					

- (1) Measured with revolving workstation in its standard position
- (2) Conveyor feed option will add marginally to the length dimension
- (3) Applies across total work area, with standard traverse clearance
- (4) May be reduced with certain tool- and configuration combinations
- (5) Measured without cutting underlay. Max. cutting thickness is tool dependent. Ref. to Technical Specification booklet for further details



DISTRIBUTED BY

